

ENERPOWER

Nur positive Energie | Only positive energy

PRODUKTSPEZIFIKATIONEN

PRODUCT SPECIFICATIONS

Produkt	Schaltnetzteil 14,6V / 3A für Akkus LiFePO4 4S (12V)
Product	Switching Power Supply 14.6V / 3A for LiFePO4 Batteries 4S (12V)
Modell	EP-FY1503000
Model	



ENERPOWER

Nur positive Energie | Only positive energy

Allgemeine technische Daten | General Technical Details

DE	EN		
Eingangsspannung	Input Voltage	Minimal	100V AC 50/60Hz
		Normal	230V AC 50/60Hz
		Maximal	264V AC 50/60Hz
Ladespannung	Charge Voltage	Maximal	14.6 ± 0.1V DC
		Minimal	10V DC
Ladestrom	Charge Current	3A ± 0.3A	
Eingangsstrom	Input Current	No Load	50mA Max @ AC 120V 50/60Hz
		Loading	600mA Max @ AC 120V 50/60Hz
Betriebstemperatures	Operating Temperatures	(-29)°C - (+45.5)°C	
Lagerhaltungstemperaturen	Storage Temperatures	(-40)°C – (+75)°C	
Zertifizierungen	Certifications	UL CUL GS CE SA A KC PSE CCC	

Vertrieb von | Distributed by


ENERdan GmbH | Max-Planck-Straße 7, D-12489 Berlin, Germany | www.enerpower.de

Tel: +49 (0) 30 5770 344 35 | Fax: +49 (0) 30 5770 344 39 | sales@enerdan.de

ENERPOWER

Nur positive Energie | Only positive energy

Dimensionen (in mm) | Dimensions (in mm)



Vertrieb von | Distributed by

ENERdan GmbH | Max-Planck-Straße 7, D-12489 Berlin, Germany | www.enerpower.de

Tel: +49 (0) 30 5770 344 35 | Fax: +49 (0) 30 5770 344 39 | sales@enerdan.de

ENERPOWER

Nur positive Energie | Only positive energy

Distributor

ENERdan GmbH

Max-Planck-Straße 7

D-12489 Berlin

Deutschland | Germany

Tel: +49 (0) 30 5770 344 35

Fax: +49 (0) 30 5770 344 39

Email: sales@enerdan.de

www.enerdan.de | www.enerpower.de

Vertrieb von | Distributed by

ENERdan GmbH | Max-Planck-Straße 7, D-12489 Berlin, Germany | www.enerpower.de

Tel: +49 (0) 30 5770 344 35 | Fax: +49 (0) 30 5770 344 39 | sales@enerdan.de